



LOC CAGGATATGACTTCGGTCCCTAGTGGATCGGATCCCGGCGGCTATTATATAGCTGGATCGATCT  
 TTCTTTATATCCGCGGATTCGGTGGATATATACACACACATCCGCGGATAGCATCACTGATCTT  
 TCCCACTGACATACGCTTCACATCTTACCAATTCGGGAGAGGGGCGGCGGATTCGGGAGAG  
 CAGTGACATACGCTTCACATCTTACCAATTCGGGAGAGGGGCGGCGGATTCGGGAGAG

PubMed

Nucleotide

Protein

Genome

Structure

PopSet

Search

Nucleotide

for

Go

Clear

Limits

Preview/Index

History

Clipboard

Display

GenBank

Save

Text

Add to Clipboard

1: C96731 . C96731 Rice callus...[gi:3759032]

LOCUS C96731 620 bp mRNA EST 19-OCT-1998  
 DEFINITION C96731 Rice callus *Oryza sativa* cDNA clone C10625\_6Z, mRNA  
 sequence.  
 ACCESSION C96731  
 VERSION C96731.1 GI:3759032  
 KEYWORDS EST.  
 SOURCE *Oryza sativa*.  
 ORGANISM *Oryza sativa*  
 Eukaryota; Viridiplantae; Embryophyta; Tracheophyta; Spermatophyta;  
 Magnoliophyta; Liliopsida; Poales; Poaceae; *Oryza*.  
 REFERENCE 1 (bases 1 to 620)  
 AUTHORS Sasaki,T. and Minobe,Y.  
 TITLE Rice cDNA from callus  
 JOURNAL Unpublished  
 COMMENT Contact: Takuji Sasaki  
 National Institute of Agrobiological Resources  
 Rice Genome Research Program  
 2-1-2 Kannondai, Tsukuba  
 Ibaraki,  
 Japan 305  
 Tel: 0298-38-7441  
 Fax: 0298-38-7468  
 Email: tsasaki@abr.affrc.go.jp  
 PROJECT = 'RGP'.  
 FEATURES  
 source Location/Qualifiers  
 1..620  
 /organism="Oryza sativa"  
 /strain="cultivar Nipponbare, sub\_species Japonica"  
 /db\_xref="taxon:4530"  
 /clone="C10625\_6Z"  
 /clone\_lib="Rice callus"  
 /note="Vector: pBluescript II SK+; Site\_1: SalI; Site\_2:  
 NotI; cDNA prepared from rice callus mRNAs by using  
 oligo(dT) as a primer and ligating to the SalI-NotI site  
 of pBluescript II SK+ phagemid."  
 BASE COUNT 175 a 132 c 150 g 162 t 1 others  
 ORIGIN  
 1 cccttgatgc attgcgacaa cttccacagt tcccaagcgc tgcttgcatc ggtccaggct  
 61 aatccccaaa tcttgagcc aatgcttcaa gagcttgga agcagaatcc ncaaactctg  
 121 cgggtgatcc aggaaaatca ggctgaattt ctccgtctgg tgaatgaatc tctgatagc  
 181 ggcgtgctg ggggaaacat actaggtcaa ctacgagccc gctatgccac aggcacttac  
 241 agttactcca gaggaacggg aggccattca gcggtggag gcaatggggt tcaaccgtga  
 301 gctcgttttg gaggtcttct tcgcatgcaa caaggatgaa gagctggctg ccaactatct  
 361 tttggatcat ggccatgagt ttgaggatca acaatagggt ttgttagttt ggtctcatcg  
 421 tggctgggag accccaaaaa aaaaatgaaa tcgaggcaga agcagtgcag ttcagtatcg  
 481 ttattatttc tgactgctga gagatacctg gccgtgtgtg caatgccgct gactatgttt  
 541 taatttcctg tgtcttgga atgcttttaa agtacatatt aatttcatat tcacataaaa

601 aaaaaaaaaa aaaaaaaaaa  
//

[Display](#)[GenBank](#)[Save](#)[Text](#)[Add to Clipboard](#)

Revised: June 7, 2000.

[Disclaimer](#) | [Write to the Help Desk](#)  
[NCBI](#) | [NLM](#) | [NIH](#)

**NCBI** **Sequence revision history** **Entrez** **?**

Revision History for Accession = C96731		
<i>gi</i>	<i>Version</i>	<i>Update Date</i>
<u>3759032</u>	1	Oct 19 1998 9:33:00:000AM

*This sequence was first seen at NCBI on Oct 19 1998 9:33:00:000AM (see [Disclaimer](#))*